



Property lines based on Culpeper County Tax Maps and may not be exact. This is not a survey.

625

urn Rd 685

Auburn Rd 685

665

685

Landons Ln

Willow Creek Ln

17019 Auburn Road

Legend

A Text Label

 Boundary

DISCLAIMER: The information contained herein is as obtained by this broker from sellers, owners, or other sources. This information is considered reliable, neither this broker nor owners make any guarantee, warranty or representation as to correctness of any data or descriptions and the accuracy of such statements. The correctness and / or accuracy of any and all statements should be determined through independent investigation made by the prospective purchaser. Any offer for sale is subject to prior sale, errors and omissions, change of price, terms or other conditions or withdrawal from sale in whole or in part, by seller without notice and at the sole discretion of seller. Readers are urged to form their own independent conclusions and evaluations in consultation with legal counsel, accountants, and/or investment advisors concerning and all material contained herein.

Generated on: March 7, 2018

17019 Auburn Road

Soil Report

Symbol	Map Unit Description	Formal Name	Area (AC)	Available Water Storage (0-150cm - Weighted Average)	Flooding Frequency (Maximum)	Drainage Class (Dominant Condition)	Drainage Class (Wettest Component)	Hydric Classification	Water Table Depth (Annual Minimum)	Water Table Depth (April to June Minimum)	Bedrock Depth (Minimum)	Soil Order
48C	Rapidan-Penn complex, 7 to 15 percent slopes, rocky	Formal name of statewide importance	195.07	15.0	None	Well drained	Well drained	4	0	0	71	Ultisols
1C	Alanthus-Myersville complex, 7 to 15 percent slopes	Formal name of statewide importance	57.16	23.7	None	Well drained	Well drained	0	0	0	139	Alfisols
22C	Fauquier silt loam, 7 to 15 percent slopes	Formal name of statewide importance	51.78	23.0	None	Well drained	Well drained	0	0	0	0	Alfisols
10A	Codorus and Haboro soils, 0 to 2 percent slopes, frequently flooded	Not prime formal name	14.25	21.9	Frequent	Slightly poorly drained	Poorly drained	31	8	8	0	Inceptisols
47B	Rapidan silty clay loam, 2 to 7 percent slopes	All areas are prime formal name	13.08	19.7	None	Well drained	Well drained	3	0	0	0	Ultisols
48D	Rapidan-Penn complex, 15 to 25 percent slopes, rocky	Formal name of statewide importance	5.8	16.7	None	Well drained	Well drained	4	0	0	71	Ultisols
23B	Fletcher-Myersville complex, 2 to 7 percent slopes	Formal name of statewide importance	5.8	15.4	None	Moderately well drained	Moderately well drained	0	75	75	107	Alfisols
1D	Alanthus-Myersville complex, 15 to 25 percent slopes	Formal name of statewide importance	44.9	23.5	None	Well drained	Well drained	0	0	0	139	Alfisols